Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S173	34	S171 same address	USPAT	OR	ON	2005/06/04 15:16
S172	54	S171 and address	USPAT	OR	ON	2005/06/04 15:16
S171	57	(boot$3 or pre-boot$3 or preboot$3 or bootstrap$4) same (multicast$3 or multi-cast$3)	USPAT	OR	ON	2005/06/04 15:16
S169	182	((709/227,229).CCLS.) and ((multicast$3 or multi-cast$3 or boot$3 or pre-boot$3 or preboot$3) same server)	USPAT	OR	ON	2005/06/04 14:21
S163	464	((709/227,229).CCLS.) and (multicast$3 or multi-cast$3 or boot$3 or pre-boot$3 or preboot$3)	USPAT	OR	ON	2005/06/04 14:21
S29	383	((709/227,229).CCLS.) and (multicast or boot$3 or pre-boot$3 or preboot$3 or BINLD or MTFTP)	USPAT	OR	ON	2005/06/04 14:14
S162	6	S161 not S158	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:13
S161	11	(pre-boot$7 or preboot$7) and ((multi-cast$3 or multicast$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:13
S158	5	(pre-boot$7 or preboot$7) and ((multi-cast$3 or multicast$3) near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:13
S157	259	(pre-boot$7 or preboot$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:12
S156	27	S152 and (file adj server) and (boot$7 or bootstrap$5 or pre-boot$7 or preboot$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:12
S153	116	S152 and (file adj server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:05
S155	1	S153 and ((boot or negotiation) adj server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:04
S152	1565	((multi-cast$3 or multicast$3) near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:03
S151	1	S150 and ((multi-cast$3 or multicast$3) near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:03
S150	115	((file or multi-cast$3 or multicast$3 near server)) same ((boot$7 or pre-boot$7 or preboot$7) near server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:02
S147	115	((file or multi-cast$3 or multicast$3 near server)) same (boot$7 or pre-boot$7 or preboot$7) near server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 14:02

S149	23	("5068780" | "5280627" | "5349643" | "5444850" | "5452454" | "5519870" | "5577210" | "5680547" | "5828888" | "5960175" | "5974547" | "6003097" | "6185623" | "6301612" | "6421777" | "6490677" | "6532537" | "6532538" | "6601096" | "6601166" | "6684326" | "6687820" | "6735692").PN. OR ("6810478").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/04 13:41
S148	23	((file or multi-cast$3 or multicast$3 near server)) near (boot$7 or pre-boot$7 or preboot$7) near server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:36
S146	8	S145 and (boot$7 or pre-boot$7 or preboot$7) near server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:35
S145	58	(file adj server) same (multi-cast$3 or multicast$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:32
S144	9	(file adj server) near (multi-cast$3 or multicast$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:32
S141	59	(file and boot$7) adj server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:32
S143	1	(file and (boot$7 near negotiation)) adj server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:31
S142	17	S141 and (multi-cast$3 or multicast$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:24
S140	1	2003-311814.NRAN.	DERWENT	OR	OFF	2005/06/04 13:23
S81	1	multicast adj address and PXE	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/04 13:23
S139	15	("5557748" | "5794031" | "5872968" | "5875306" | "5974547" | "6009474" | "6012088" | "6026438" | "6070187" | "6175918" | "6317826" | "6421777" | "6535976" | "6611915").PN. OR ("6735692").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/04 13:11
S83	8	pre-boot$9 and multicast$3	USPAT	OR	ON	2004/10/15 13:21
S82	98	pre-boot$9	USPAT	OR	ON	2004/10/15 13:21
S78	1	multicast adj address and boot$9 and PXE	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 13:17
S80	12	multicast adj address and boot$9 and DHCP and query	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 11:11
S79	40	multicast adj address and boot$9 and DHCP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 11:10
S77	8	multicast adj address same boot$9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 11:09

S6	110	multicast adj address and boot	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 11:08
S76	1	(("5557748" | "5794031" | "5872968" | "5875306" | "5974547" | "6009474" | "6012088" | "6026438" | "6070187" | "6175918" | "6317826" | "6421777" | "6535976" | "6611915").PN.) and multicast$3	USPAT	OR	ON	2004/10/15 10:59
S75	14	("5557748" | "5794031" | "5872968" | "5875306" | "5974547" | "6009474" | "6012088" | "6026438" | "6070187" | "6175918" | "6317826" | "6421777" | "6535976" | "6611915").PN.	USPAT	OR	ON	2004/10/15 10:58
S74	8	"6018771".URPN.	USPAT	OR	ON	2004/10/15 10:58
S73	1	("6018771").PN.	USPAT; USOCR	OR	OFF	2004/10/15 09:45
S72	8	"6018771".URPN.	USPAT	OR	ON	2004/10/14 14:13
S71	0	"6735692".URPN.	USPAT	OR	ON	2004/10/14 14:13
S70	1	("6,345,294").PN.	USPAT; USOCR	OR	OFF	2004/10/14 13:27
S69	3	boot$9 adj negotiat$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:10
S68	4	multicast$3 adj address adj manage$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:10
S9	16	(babbit.inv. or nanerjee.inv. or sharma.inv. or vallabhaneni.inv.) and multicast	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:08
S67	12	select$3 near2 (multicast adj address) and boot$9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:59
S66	9	select$3 near2 (multicast adj address) and ((determin$3 or compar$3) near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:59
S65	33	select$3 near2 (multicast adj address) and (determin$3 or compar$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:56
S64	40	select$3 near2 (multicast adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:56
S63	8	(multicast adj address) same boot	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:56
S24	208	(PXE or ((pre-boot$3 or preboot) adj execut$3 adj environment))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:54
S62	155	((709/221).CCLS.) and (multicast or boot$9)	USPAT	OR	ON	2004/10/13 17:23
S61	529	(709/221).CCLS.	USPAT; USOCR	OR	OFF	2004/10/13 17:23
S43	1394	(713/2,100).CCLS.	USPAT; USOCR	OR	OFF	2004/10/13 17:23

S60	6	"same" adj (multicast adj address) and boot$9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:21
S59	41	"same" adj (multicast adj address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:20
S58	1	(send$3 or forward$3 or transmit$4) near (multicast adj address) near client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:19
S41	13	boot adj server and (address adj server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:17
S57	1	("6697851").PN.	USPAT; USOCR	OR	OFF	2004/10/13 17:06
S56	41	"PXE" and (boot$9)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 17:06
S55	208	"PXE"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 16:58
S54	295	((370/431,432,463,475).CCLS.) and (multicast$3 or boot$9)	USPAT	OR	ON	2004/10/13 16:43
S53	1269	(370/431,432,463,475).CCLS.	USPAT; USOCR	OR	OFF	2004/10/13 16:38
S52	40	"5835723".URPN.	USPAT	OR	ON	2004/10/13 16:37
S51	1	("5835723").PN.	USPAT; USOCR	OR	OFF	2004/10/13 16:34
S50	1	("6,112,251").PN.	USPAT; USOCR	OR	OFF	2004/10/13 16:34
S49	1	("6,611,872").PN.	USPAT; USOCR	OR	OFF	2004/10/13 16:32
S48	142	((709/245).CCLS.) and (multicast$3 or boot$9)	USPAT	OR	ON	2004/10/13 16:28
S47	686	(709/245).CCLS.	USPAT; USOCR	OR	OFF	2004/10/13 16:21
S46	135	multicast adj address and boot$9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 16:20
S45	650	((713/2,100).CCLS.) and boot$9 and address	USPAT	OR	ON	2004/10/13 15:45
S44	847	((713/2,100).CCLS.) and boot$9	USPAT	OR	ON	2004/10/13 15:45
S30	38	multicast adj address and boot and query	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:41
S42	13	boot adj server and (address adj server) and address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:16
S40	126	boot adj server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:15

S39	2	select$3 adj address same (determin$3 near address) and (transmit$4 near address) and multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:15
S38	75	select$3 adj address same (determin$3 near address) and (transmit$4 near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:13
S37	325	select$3 adj address same (determin$3 near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:12
S36	75	multicast adj address and boot and process and (boot$3 or pre-boot$3 or preboot$3) and ((us$3 or available or unavailable) near address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 15:11
S35	106	multicast adj address and boot and process and (boot$3 or pre-boot$3 or preboot$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 14:44
S34	106	multicast adj address and boot and process	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 14:42
S33	4	boot adj information and multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 14:37
S32	4	boot adj information and multicast	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 14:37
S31	176	boot adj information	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 14:36
S28	2340	(709/227,229).CCLS.	USPAT; USOCR	OR	OFF	2004/10/06 19:11
S27	16	(transmit$5 or send$3 or foward$3) near multicast adj address and client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 19:11
S15	34	(transmit$5 or send$3 or foward$3) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:33
S26	3	(PXE or ((pre-boot$3 or preboot) adj execut$3 adj environment)) and BINL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:30
S25	1	(PXE or ((pre-boot$3 or preboot) adj execut$3 adj environment)) and multicast$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:30
S23	208	PXE or ((pre-boot$3 or preboot) adj execut$3 adj environment) and ((select$3 or choos$3 or elect$3 or pick$3 or mark$3 or nam$3) adj (multicast$3 adj address))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:27
S22	4	(multicast) and (boot adj information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:14

S21	1	(multicast adj address) and (boot adj information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 15:57
S20	175	boot adj information	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 15:57
S19	20	(transmit$5 or send$3 or foward$3) near multicast adj address and (determin$3 or compar$3 or duplicat$3 or differen$5) and process	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 15:57
S18	0	(transmit$5 or send$3 or foward$3) near multicast adj address and (determin$3 or compar$3 or duplicat$3 or differen$5) and boot$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:20
S17	29	(transmit$5 or send$3 or foward$3) near multicast adj address and (determin$3 or compar$3 or duplicat$3 or differen$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:20
S16	3	((transmit$5 or send$3 or foward$3) and (select$3 or pick$3 or choos$3 or designat$3 or elect$3)) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:16
S11	20	(select$3) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:06
S14	9	"6567851".URPN.	USPAT	OR	ON	2004/10/06 13:57
S13	8	"6018771".URPN.	USPAT	OR	ON	2004/10/06 13:54
S12	14	("4590467" | "4792947" | "5058109" | "5079767" | "5150464" | "5276442" | "5287346" | "5309433" | "5323388" | "5425028" | "5732094" | "5842224" | "5956335" | "6018771").PN.	USPAT	OR	ON	2004/10/06 13:51
S10	5	multicast adj address and boot and process and (pre-boot$3 or preboot$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 13:49
S8	3137	babbit.inv. or nanerjee.inv. or sharma.inv. or vallabhaneni.inv.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 13:42
S7	1	("6697851").PN.	USPAT; USOCR	OR	OFF	2004/10/06 13:40
S5	1070	multicast adj address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 11:37
S1	1	("20020198972").PN.	US-PGPUB; USOCR	OR	OFF	2004/10/06 11:35
S4	193	((709/220).CCLS.) and (pre-boot or boot or multicast)	USPAT	OR	ON	2004/10/06 11:26
S3	796	(709/220).CCLS.	USPAT; USOCR	OR	OFF	2004/10/06 11:25
S2	357	(709/222).CCLS.	USPAT; USOCR	OR	OFF	2004/10/06 11:25